Guide Navigation

1. Supported Features for Govee device.

2. How to link Linxura with Govee.

3. How to use Linxura to control Govee device.

Govee Setup Guide Video Link:

https://www.linxura.com/pages/govee

1. **Supported Features for the Govee**

Govee Supported Actions

Actions	Supported Mode	Description
Click/Double Click	**Mode**: On, Off, Toggle	On: Turn on the light Off: Turn off the light Toggle: Switches between on and off
	Set Color:	Set a preferred color for your light
	Set Brightness	Set the Brightness level from 0 (dim) to 100 (bright)
	Set Color Temperature	Set the Color Temperature from 2500k (warm) to 6500K (cool)
Rotate Clockwise/Rotate Counterclockwise	**Brightness Up/Down**	Brightness up: Increases the brightness Brightness down: Decreases the brightness
	Color Temperature up/down	Color temperature up: Raises the color temperature Color temperature down: Lowers the color temperature

2. How to link Linxura with Govee device.

Make sure your Govee device is set up in the Govee app and functioning properly.

Step 1:
Open your Govee app and click 'Profile' in the bottom-right corner.

Step 2:
Click 'Set up '.

Step 3:
Click to apply API Key.

Step4:
Open your Linxura app and then select the Linxura you want to bind with Govee.

Step 5:
Choose a button.

Step 6:
Click 'Select platform'.

Step 7:
Select 'Govee' option.

Step 8:
Click 'Confirm'.

09:44

← **Select a platform**

Amazon Alexa — Instructions >

August — Instructions >

Ecobee — Instructions >

Google Home — Instructions >

Govee — Instructions >

Homey — Instructions >

Hunter Douglas — Instructions >

IFTTT — Instructions >

Kasa — Instructions >

LIFX Cloud — Instructions >

Network Thermostat Local — Instructions >

Philips Hue — Instructions >

09:44

← **Select a platform**

Amazon Alexa — Instructions >

August — Instructions >

Ecobee — Instructions >

Google Home — Instructions >

Govee — Instructions >

Homey — Instructions >

Hunter Douglas — Instructions >

IFTTT — Instructions >

Kasa — Instructions >

Attention

Authorization required.

Confirm

Step 9:

Paste the API key applied.

Step 10:

Click 'Confirm'.

Step 11:

Select the Govee device and click 'Save'.

**3. How to use Linxura to control Govee device.**

Step 1:

Click the edit icon to customize actions.

Step 2:

Click 'Mode' and select one of the options.


Step 3:

Select one of the 'Mode' options.

Step 4:

Click 'Save' to save the Click Action settings.

09:45

Govee

Govee   READ MORE

LIGHT

Smart LED Bulb 1

ACTION: CLICK

Mode: On   ›

Brightness: 25%   ›

Color: 4D43FF   ›

Color Temperature: ›

[Save]

Step 5:

Configure the brightness, color, or color temperature as needed (optional). **Note that you can only configure either color or color temperature at a time.**

09:45

Govee

Govee   READ MORE

LIGHT

Smart LED Bulb 1

ACTION: CLICK

Mode: On   ›

Brightness: ›

Color: ›

Color Temperature: ›

[Save]

Step 6:

You can follow the same steps to configure Double Click, Rotate Clockwise, and Rotate Counterclockwise.

You can now use Linxura to control your Govee device!